

These switches are designed to be compatible with any brand of pneumatic control system. Replaceable scale plates give you a variety of system functions. Standardizing on these switches will reduce your costs and help you become familiar with a single replacement for all uses.



Universal Pneumatic Gradual Switch

This manual switch is used to provide a variable pneumatic signal to any brand of pneumatic device. Used for remote positioning or as a testing device.

| ORDERING INFORMATION | |
|-----------------------------|-------------------|
| ORDER # | DESCRIPTION |
| YMC-1001 | Pne. Grad. Switch |
| SCALE PLATES (NOT INCLUDED) | |
| HDO-1101 | BLANK |
| HDO-1102 | 0 to 100% |
| HDO-1103 | Increase CW Arrow |



2 Position Pneumatic Selector Switches

This manual selector switch is used to direct one or two signals to either one of two ports. Ten scale plates available to perform a variety of functions. Vented and non-vented models are available.

| ORDERING INFORMATION | |
|-----------------------------|-----------------|
| ORDER # | DESCRIPTION |
| YMC-2001 | DPDT-Non-Vented |
| YMC-2002 | DPDT-Vented |
| SCALE PLATES (NOT INCLUDED) | |
| HDO-1201 | Occ-Unocc |
| HDO-1202 | Summer-Winter |
| HDO-1203 | On-Off |
| HDO-1205 | Open-Close |
| HDO-1206 | 1-2 |
| HDO-1207 | Day-Night |
| HDO-1208 | Heat-Cool |
| HDO-1209 | Manual-Auto |



3 Position Pneumatic Selector Switches

This manual selector switch is used to switch a pneumatic signal to one of three ports. Eight scale plates available to perform a variety of functions. Vented and non-vented models available.

| ORDERING INFORMATION | |
|-----------------------------|---------------------|
| ORDER # | DESCRIPTION |
| YMC-3001 | 3 Position Non-Vent |
| YMC-3002 | 3 Position Vented |
| SCALE PLATES (NOT INCLUDED) | |
| HDO-1301 | 1-2-3 |
| HDO-1302 | On-Auto-Off |
| HDO-1303 | Day-Auto-Night |
| HDO-1305 | Heat-Auto-Cool |
| HDO-1306 | Summ.-Auto-Wint. |
| HDO-1307 | Open-Auto-Close |



6 Position Pneumatic Selector Switch

This manual selector switch can be used to switch a pneumatic signal to one of six ports. It's economical cost make it a good choice for any multiple switching function of six or less positions.

| ORDERING INFORMATION | |
|-----------------------------|-------------------|
| ORDER # | DESCRIPTION |
| YMC-6001 | 6-Pos. Non-Vented |
| SCALE PLATES (NOT INCLUDED) | |
| HDO-1101 | BLANK |
| HDO-1601 | 1-2-3-4-5-6 |